Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

ANTHRAX.

Connecticut—New Haven.

Collaborating Epidemiologist Black reported that during the week ended December 23, 1916, one case of anthrax was notified at New Haven, Conn.

CEREBROSPINAL MENINGITIS.

State Reports for November, 1916.

Place.	New cases reported.	Place.	New cases reported.
California:		Mississippi:	
Los Angeles County—		Jackson County	3
Los Angeles	1	Kemper County	1
Pasadena	1	Warren County	1
Stanislaus County	1	Stone County	1
Total	3	Total	6
Iowa:			
Benton County	2		

City Reports for Week Ended Dec. 16, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Baltimore, Md	1	2	New Britain, Conn	1	.....
Chicago, Ill	2	3	New York, N. Y	3	2
Jersey City, N. J	.....	1	Philadelphia, Pa	1	1
Lexington, Ky	1	1	Providence, R. I	1	.....
Lynn, Mass	.....	1	St. Louis, Mo	1	1
Milwaukee, Wis	1	1	Springfield, Mass	.....	1

DIPHTHERIA.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 15.

ERYSIPELAS.

City Reports for Week Ended Dec. 16, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Binghamton, N. Y	2		Milwaukee, Wis	3	
Boston, Mass		1	Newark, N. J	7	1
Buffalo, N. Y	1		New York, N. Y		1
Butte, Mont		1	Niagara Falls, N. Y		2
Camden, N. J	1		Oakland, Cal	1	1
Chicago, Ill	37	2	Passaic, N. J	1	
Cincinnati, Ohio	3		Philadelphia, Pa	7	2
Cleveland, Ohio	3		Pittsburgh, Pa	5	
Cumberland, Md	1		Providence, R. I	1	1
Detroit, Mich	5		St. Louis, Mo	12	1
Harrison, N. J	1		St. Paul, Minn	2	
Jackson, Mich	2		San Francisco, Cal	2	
Jersey City, N. J	6		Steubenville, Ohio	1	
Kalamazoo, Mich	4		Toledo, Ohio	1	
Lincoln, Nebr	1		York, Pa	1	
Los Angeles, Cal	1	2			

LEPROSY.

City Reports for Week Ended Dec. 16, 1916.

During the week ended December 16, 1916, one case of leprosy was reported in Indianapolis, Ind., and one case in San Francisco, Cal.

MALARIA.

State Reports for November, 1916.

Place.	New cases reported.
California:	
Alameda County—	
Berkeley	1
Hayward	1
Piedmont	1
Amador County	1
Butte County	14
Chico	6
Gridley	1
Colusa County	7
Colusa	4
Fresno County	2
Firebaugh	2
Glenn County—	
Orland	4
Los Angeles County—	
Long Beach	1
Merced County	2
Modoc County	1
Placer County	4
Rocklin	1
San Francisco	5
San Joaquin County	8
Stockton	2
Solano County	5
Vacaville	1
Stanislaus County	1
Tehama County	1
Tulare County	2
Yolo County	7
Total	85
Mississippi:	
Adams County	98
Alcorn County	40
Amite County	54
Attala County	110

Place.	New cases reported.
Mississippi—Continued.	
Benton County	12
Bolivar County	715
Calhoun County	48
Carroll County	89
Chickasaw County	35
Choctaw County	64
Claiborne County	93
Clarke County	29
Clay County	19
Coahoma County	523
Copiah County	147
Covington County	106
De Soto County	37
Forest County	139
Franklin County	77
George County	45
Greene County	17
Grenada County	100
Hancock County	101
Harrison County	106
Hinds County	346
Holmes County	545
Issaquena County	14
Itawamba County	56
Jackson County	53
Jasper County	76
Jefferson County	80
Jefferson Davis County	25
Jones County	235
Kemper County	57
Lafayette County	63
Lamar County	16
Lauderdale County	150
Lawrence County	84
Leake County	115
Lee County	92
Leflore County	242

MALARIA—Continued.

State Reports for November, 1916—Continued.

Place.	New cases reported.	Place.	New cases reported.
Mississippi—Continued		Mississippi—Continued.	
Lincoln County	54	Smith County	83
Lowndes County	45	Stone County	35
Madison County	80	Sunflower County	505
Marion County	150	Tallahatchie County	146
Marshall County	106	Tate County	200
Monroe County	70	Tippah County	74
Montgomery County	48	Tishomingo County	55
Neshoba County	160	Tunica County	177
Noxubee County	56	Union County	36
Oktibbeha County	117	Warren County	181
Panola County	96	Washington County	325
Pearl River County	75	Wayne County	68
Perry County	383	Webster County	37
Pike County	56	Wilkinson County	17
Pontotoc County	29	Winston County	92
Prentiss County	51	Yalobusha County	62
Quitman County	96	Yazoo County	470
Rankin County	60	Walthall County	6
Scott County	74		
Sharkey County	77	Total	9,578
Simpson County	73		

City Reports for Week Ended Dec. 16, 1916.

During the week ended December 16, 1916, five cases of malaria, with one death, were reported in New Orleans, La., and one fatal case was reported in New York, N. Y.

MEASLES.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 15.

PELLAGRA.

Mississippi Report for November, 1916.

Place.	New cases reported.	Place.	New cases reported.
Mississippi:		Mississippi—Continued.	
Adams County	8	Lowndes County	4
Alcorn County	1	Madison County	4
Amite County	3	Marion County	6
Attala County	3	Marshall County	12
Bolivar County	22	Monroe County	5
Carroll County	1	Montgomery County	1
Chickasaw County	5	Neshoba County	6
Choctaw County	2	Noxubee County	4
Claiborne County	1	Oktibbeha County	6
Clay County	3	Panola County	3
Coahoma County	22	Pearl River County	1
Copiah County	3	Perry County	5
Covington County	3	Pike County	3
De Soto County	2	Pontotoc County	1
Forest County	10	Prentiss County	1
Franklin County	2	Rankin County	2
George County	1	Scott County	3
Harrison County	9	Sharkey County	2
Hinds County	22	Sunflower County	7
Holmes County	10	Tallahatchie County	24
Itawamba County	7	Tate County	3
Jones County	2	Tippah County	3
Kemper County	1	Tunica County	7
Lafayette County	1	Warren County	3
Lamar County	1	Washington County	8
Lauderdale County	6	Wayne County	2
Lawrence County	6	Wilkinson County	3
Leake County	1	Yazoo County	9
Lee County	3		
Leflore County	12	Total	320
Lincoln County	9		

PELLAGRA—Continued.

City Reports for Week Ended Dec. 16, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Charleston, S. C		1	Nashville, Tenn		1
Lexington, Ky		1			

PLAGUE.

Louisiana—New Orleans—Plague-Infected Rat Found.

Passed Asst. Surg. Simpson reported that a rat trapped December 1, 1916, at 2421 St. Roche Avenue, New Orleans, La., was proved positive for plague infection December 21, 1916.

PNEUMONIA.

City Reports for Week Ended Dec. 16, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Berkeley, Cal	1	1	Manchester, N. H	1	1
Binghamton, N. Y	4	5	Morristown, N. J	2	
Chicago, Ill	232	88	Newark, N. J	56	17
Cleveland, Ohio	32	19	New Castle, Pa	2	
Coffeyville, Kan	1		Newport, Ky	1	1
Detroit, Mich	5	18	Pawtucket, R. I	4	4
Dubuque, Iowa	1	1	Philadelphia, Pa	88	44
Grand Rapids, Mich	4		Pittsburgh, Pa	33	43
Harrisburg, Pa	1	1	Reading, Pa	4	2
Harrison, N. J	1		Sacramento, Cal	4	
Johnstown, Pa	2	2	San Francisco, Cal	15	11
Kalamazoo, Mich	3	3	Schenectady, N. Y	4	1
Kansas City, Mo	5	8	Springfield, Ohio	1	1
Lancaster, Pa	1		Stockton, Cal	2	1
Lexington, Ky	1	1	Toledo, Ohio	12	4
Los Angeles, Cal	14	10	Wilkinsburg, Pa	1	

POLIOMYELITIS (INFANTILE PARALYSIS).

State Reports for November, 1916.

Place.	New cases reported.	Place.	New cases reported.
California:		Iowa:	
Calaveras County—		Adair County	1
Angels Camp	1	Allamakee County	2
Colusa County	1	Calhoun County	2
Contra Costa County—		Cedar County	1
Martinez	1	Greene County	1
Humboldt County—		Hamilton County	1
Eureka	1	Jackson County	2
Kings County—		Mahaska County	3
Hanford	1	Marshall County	1
Los Angeles County	1	Mills County	1
Los Angeles	1	Monona County	1
Marin County	2	Monroe County	1
Riverside County—		Polk County	2
Riverside	2	Scott County	1
Sacramento County—		Union County	3
Sacramento	1	Washington County	1
San Bernardino—		Wright County	1
Colton	1	Total	25
San Francisco	6		
San Luis Obispo County	1	Mississippi:	
Santa Barbara County—		Bolivar County	1
Santa Barbara	1	Jasper County	2
Santa Clara County	1	Rankin County	2
Sonoma County	1	Washington County	2
Tehama County	1	Yazoo County	1
Tulare County	1	Total	8
		Wyoming:	
Total	25	Uinta County	1

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.

City Reports for Week Ended Dec. 16, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Baltimore, Md	1		New Haven, Conn	1	
Boston, Mass	1	1	New Orleans, La	1	
Brookline, Mass	2		Newton, Mass	1	
Cambridge, Mass	1		New York, N. Y	3	2
Chicago, Ill		1	Northampton, Mass		1
Erie, Pa	1		Oakland, Cal	1	
Grand Rapids, Mich	1	1	Philadelphia, Pa	1	
Hartford, Conn	1		San Francisco, Cal	3	
Medford, Mass	1				

RABIES IN ANIMALS.

City Reports for Week Ended Dec. 16, 1916.

During the week ended December 16, 1916, one case of rabies in animals was reported in Detroit, Mich., two cases were reported in Niagara Falls, N. Y., and one case was reported in St. Paul, Minn.

SCARLET FEVER.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 15.

SMALLPOX.

Connecticut.

Collaborating Epidemiologist Black reported that during the week ended December 23, 1916, cases of smallpox were notified in Connecticut as follows: Middlebury 5, Waterbury 11.

Minnesota.

Collaborating Epidemiologist Bracken reported that during the week ended December 30, 1916, 5 new foci of smallpox infection were reported in Minnesota, cases of the disease having been notified as follows: Ottertail County, Orwell Township, 1; Swift County, Toring Township, 6; Wadena County, Oroton Township, 3; Wilkin McCauleg-ville Township, 1, Roberts Township, 1.

Texas—El Paso.

Acting Asst. Surg. Tappan reported that during the period from December 10 to 23, 1916, three cases of smallpox were notified in El Paso, Tex., making a total of 25 cases reported since July 1, 1916.

SMALLPOX—Continued.

California Report for November, 1916.

Place.	New cases. reported.	Deaths.	Vaccination history of cases.			
			Number vaccinated within 7 years preceding attack.	Number last vaccinated more than 7 years preceding attack.	Number never successfully vaccinated.	Vaccination history not obtained or uncertain.
California:						
Alameda County	2				2	
Oakland	1					1
Contra Costa County	1				1	
Imperial County	2				2	
Kern County	2					2
Napa County	5				5	
Riverside County	5				5	
Riverside	1					1
San Francisco	1					1
San Mateo County—						
Burlingame	1				1	
Yolo County—						
Woodland	1			1		
Total	22			1	16	5

Miscellaneous State Reports.

Place.	Cases.	Deaths.
Iowa (Nov. 1-30):		
Lee County	11	
Linn County	2	
Page County	1	
Polk County	1	
Webster County	8	
Woodbury County	1	
Total	24	
Mississippi (Nov. 1-30):		
Amite County	1	
Bolivar County	1	
Calhoun County	1	
Chickasaw County	6	
Jefferson Davis County	28	
Lafayette County	5	
Lauderdale County	15	
Marshall County	2	
Neshoba County	3	
Perry County	6	
Simpson County	18	
Sunflower County	4	
Mississippi (Nov. 1-30)—Con.		
Tate County	6	
Yalobusha County	1	
Total	97	
North Dakota (Nov. 1-30):		
Foster County	2	
Grand Forks County	1	
Kidder County	3	
Lamoure County	14	
Logan County	3	
Morton County	8	
Sargent County	2	
Stutsman County	7	
Ward County	1	
Williams County	2	
Total	43	
Wyoming (Nov. 1-30):		
Goshen County	2	

City Reports for Week Ended Dec. 16, 1916.

Place.	Cases.	Deaths.
Ann Arbor, Mich	1	
Charleston, S. C	1	
Chicago, Ill	1	
Cleveland, Ohio	4	
Danville, Ill	5	
Detroit, Mich	1	
Indianapolis, Ind	1	
Kalamazoo, Mich	1	
Little Rock, Ark	6	
Minneapolis, Minn	9	
Muscatine, Iowa	3	
New Orleans, La	4	
Omaha, Nebr	2	
Pittsburgh, Pa	1	
Portland, Oreg	14	
Rockford, Ill	2	
St. Paul, Minn	1	
Salt Lake City, Utah	1	
San Francisco, Cal	1	
Sioux City, Iowa	9	
South Bend, Ind	1	
Toledo, Ohio	2	

TETANUS.

City Reports for Week Ended Dec. 16, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Chicago, Ill.		1	Philadelphia, Pa.	2	2
Harrisburg, Pa.	1	1	St. Louis, Mo.		1

TUBERCULOSIS.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 15.

TYPHOID FEVER.

State Reports for November, 1916.

Place.	New cases reported.
California:	
Alameda County—	
Alameda	3
Berkeley	1
Oakland	3
Amador County—	
Jackson	1
Butte County—	
Gridley	1
Contra Costa County	1
Pinole	1
Fresno County	1
Clovis	1
Humboldt County—	
Eureka	1
Imperial County—	
Calexico	1
Kern County	2
Los Angeles County	2
Alhambra	1
Long Beach	1
Los Angeles	19
Pasadena	2
Mendocino County	1
Merced County—	
Los Banos	1
Monterey County—	
Salinas	1
Riverside County—	
Riverside	1
Sacramento County	1
Sacramento	3
San Benito County—	
San Juan	1
San Bernardino County—	
Rialto	1
San Bernardino	1
San Diego County—	
National City	1
San Diego	2
San Francisco	13
San Joaquin County—	
Stockton	2
San Luis Obispo County	1
San Mateo County—	
San Mateo	1
Santa Barbara County—	
Santa Barbara	1
Santa Maria	1
Santa Clara County	2
Shasta County	2
Siskiyou County	1
Montague	2
Solano County—	
Benicia	1
Sonoma County	1
Healdsburg	1
Petaluma	1
Santa Rosa	3
California—Continued.	
Stanislaus County	1
Yolo County	1
Total	91
Mississippi:	
Adams County	3
Alcorn County	10
Amite County	4
Attala County	2
Benton County	2
Bolivar County	6
Calhoun County	3
Carroll County	4
Chickasaw County	5
Choctaw County	3
Claiborne County	1
Coahoma County	6
Copiah County	2
Covington County	8
De Soto County	3
Forest County	1
Franklin County	4
Grenada County	6
Hancock County	2
Harrison County	5
Hinds County	12
Holmes County	5
Issaquena County	1
Itawamba County	5
Jackson County	3
Jasper County	3
Jefferson Davis County	3
Jones County	9
Kemper County	3
Lafayette County	4
Lamar County	1
Lauderdale County	4
Lawrence County	3
Leake County	14
Lee County	10
Leflore County	1
Lincoln County	4
Madison County	2
Marshall County	21
Monroe County	5
Neshoba County	2
Oktibbeha County	2
Panola County	3
Perry County	6
Pike County	8
Pontotoc County	2
Prentiss County	1
Quitman County	1
Rankin County	6
Scott County	8
Simpson County	7
Smith County	2

TYPHOID FEVER—Continued.

State Reports for November, 1916—Continued.

Place.	New cases reported.
Mississippi—Continued.	
Stone County	6
Sunflower County	8
Tallahatchie County	9
Tate County	22
Tippah County	4
Tishomingo County	3
Tunica County	2
Walthall County	2
Warren County	6
Washington County	4
Wayne County	1
Webster County	1
Wilkinson County	3
Winston County	4
Yalobusha County	10
Yazoo County	8
Total	334

Place.	New cases reported.
North Dakota:	
Hettinger County	8
Mountrail County	1
Stutsman County	1
Williams County	1
Total	11
Wyoming:	
Goshen County	3
Fremont County	2
Laramie County	1
Carbon County	1
Platte County	1
Total	8

City Reports for Week Ended Dec. 16, 1916.

Place.	Cases.	Deaths.
Atlantic City, N. J	1	
Austin, Tex		1
Baltimore, Md	8	
Berkeley, Cal	2	
Birmingham, Ala	1	
Boston, Mass	6	1
Buffalo, N. Y	6	1
Camden, N. J	2	
Charleston, S. C	4	1
Chicago, Ill	12	1
Cleveland, Ohio	5	1
Coffeyville, Kans	1	
Denver, Colo	2	
Detroit, Mich	3	
Duluth, Minn	4	
El Paso, Tex		1
Erie, Pa	2	
Evansville, Ind	3	
Fall River, Mass	2	
Fort Worth, Tex	1	1
Grand Rapids, Mich	2	
Hartford, Conn	2	2
Indianapolis, Ind	2	
Johnstown, Pa	1	
Lancaster, Pa	1	
Long Beach, Cal	1	1
Los Angeles, Cal	1	
Lowell, Mass		1
Lynchburg, Va	1	
Lynn, Mass	3	1
Milwaukee, Wis	2	
Minneapolis, Minn	2	
Nashville, Tenn	1	
Newark, N. J	1	
New Bedford, Mass	2	

Place.	Cases.	Deaths.
New Castle, Pa	1	
New Orleans, La	6	
Newport, R. I	1	
New York, N. Y	24	2
Niagara, Falls, N. Y	1	
Norfolk, Va	1	
Oakland, Cal	20	1
Oklahoma, Okla		1
Omaha, Nebr	2	
Philadelphia, Pa	4	3
Pittsburgh, Pa	4	
Providence, R. I	2	
Quincy, Ill	1	
Racine, Wis	2	
Reading, Pa	3	
Saginaw, Mich	1	
St. Louis, Mo	8	2
St. Paul, Minn	1	
Salt Lake City, Utah	1	
San Francisco, Cal	4	
Saratoga, Springs, N. Y		2
South Bend, Ind	4	1
Springfield, Mass	1	
Springfield, Ohio	1	
Syracuse, N. Y	1	1
Toledo, Ohio	1	
Washington, D. C	4	1
Watertown, N. Y	1	
Wheeling, W. Va	4	
Williamsport, Pa	1	
Wilmington, Del	1	
Wilmington, N. C	2	
Worcester, Mass	1	
York, Pa	2	

TYPHUS FEVER.

Texas—El Paso.

Acting Asst. Surg. Tappan reported that during the period from December 10 to 23, 1916, two cases of typhus fever were notified at El Paso, Tex., making a total of 39 cases reported since July 1, 1916.

TYPHUS FEVER—Continued.

City Report for Week Ended Dec. 16, 1916.

During the week ended December 16, 1916, one case of typhus fever was reported in New York, N. Y.

PREVENTABLE DISEASES.

Massachusetts Report for Week Ended Dec. 23, 1916.

Disease.	Cases reported.	Disease.	Cases reported.
Anthrax	1	Poliomyelitis (infantile paralysis)	2
Cerebrospinal meningitis	2	Scarlet fever	119
Chicken pox	133	Septic sore throat	3
Diphtheria	187	Tetanus	1
German measles	1	Trachoma	3
Malaria	1	Tuberculosis (pulmonary)	119
Measles	202	Tuberculosis (other forms)	8
Mumps	80	Typhoid fever	18
Ophthalmia neonatorum	22	Whooping cough	36
Pellagra	1		

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

State Reports for November, 1916.

State.	New cases reported.			State.	New cases reported.		
	Diphtheria.	Measles.	Scarlet fever.		Diphtheria.	Measles.	Scarlet fever.
California	327	392	559	North Dakota	34	97	33
Iowa	45	.....	85	Wyoming	5	57	2
Mississippi	173	162	78				

City Reports for Week Ended Dec. 16, 1916.

City.	Population as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants:										
Baltimore, Md	584,605	180	16	1	.....	.....	10	.....	58	20
Boston, Mass	745,139	201	59	3	16	.....	39	3	49	24
Chicago, Ill	2,447,045	619	235	22	107	3	237	5	205	56
Cleveland, Ohio	656,975	189	62	3	59	.....	8	.....	27	16
Detroit, Mich	554,717	211	119	9	8	.....	57	1	25	20
New York, N. Y	5,468,190	1,344	208	12	94	2	88	3	417	170
Philadelphia, Pa	1,683,664	562	48	12	18	.....	24	1	103	59
Pittsburgh, Pa	571,984	212	34	5	95	1	19	1	32	19
St. Louis, Mo	745,988	228	88	2	21	.....	28	.....	36	18
From 300,000 to 500,000 inhabitants:										
Buffalo, N. Y	461,335	140	28	4	4	.....	13	.....	14	19
Cincinnati, Ohio	406,706	130	29	1	5	.....	10	.....	24	18
Jersey City, N. J	300,133	81	11	1	1	.....	9	.....	17	7
Los Angeles, Cal	465,367	.....	4	.....	13	.....	13	.....	44	22
Milwaukee, Wis	428,062	105	25	.....	13	.....	57	1	17	5
Minneapolis, Minn	353,460	.....	15	.....	7	.....	15	.....	.....	.....
Newark, N. J	399,000	.....	14	1	4	.....	9	.....	34	20
New Orleans, La	366,484	.....	12	1	442	2	5	.....	31	30
San Francisco, Cal	[1] 416,912	164	35	2	54	.....	15	.....	37	19
Washington, D. C	358,679	134	12	2	2	.....	14	.....	22	12

[1] Population Apr. 15, 1910; no estimate made.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Con.

City Reports for Week Ended Dec. 16, 1916—Continued.

City.	Population as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 200,000 to 300,000 inhabitants:										
Columbus, Ohio	209,722	67	5		29		14	1	7	5
Denver, Colo	253,161	54			22		9			10
Indianapolis, Ind	265,578		36		6		7		12	
Kansas City, Mo	289,879	85	13	1	2		15	1	14	11
Portland, Oreg	272,833	48	7		54		11		3	2
Providence, R. I	250,025	59	16	2	1		12			2
St. Paul, Minn	241,999	56	18		4		18		9	7
From 100,000 to 200,000 inhabitants:										
Birmingham, Ala	174,108	40	4				3		9	3
Bridgeport, Conn	118,434	36	5		7		8		5	3
Cambridge, Mass	111,669	31	6		1		3		7	4
Camden, N. J	104,349		9				2		10	
Fall River, Mass	126,904	30	1		57				32	2
Grand Rapids, Mich	125,759	29	2		4		14		10	1
Hartford, Conn	108,969	48	1	1	4		2		4	4
Lowell, Mass	112,124	49	6	1	31	1	8		6	
Lynn, Mass	100,316	25	6		2		2		3	
Nashville, Tenn	115,978	40	3		133	2	5		7	2
New Bedford, Mass	114,694	33	3	1	5				4	3
New Haven, Conn	147,095		9	1	11		1		3	1
Oakland, Cal	190,803		2	1	1		5		4	6
Omaha, Nebr	135,455	39	2	1			15			4
Reading, Pa	105,094	46	2				1			5
Richmond, Va	154,674	55	5		5		8		5	7
Salt Lake City, Utah	113,567	45	2		321		6			1
Springfield, Mass	103,216	42	3				5		4	1
Syracuse, N. Y	152,534	41	14	1	5		8		3	2
Tacoma, Wash	108,094	17			252		5			
Toledo, Ohio	187,840	68	7		2		43	1	11	6
Trenton, N. J	109,212	43								
Worcester, Mass	160,523	41	6		9		11		10	5
From 50,000 to 100,000 inhabitants:										
Atlantic City, N. J	55,806	12			3				13	
Berkeley, Cal	54,879	5	1				5		1	
Binghamton, N. Y	53,682	29	18	2	2		2		4	4
Brockton, Mass	65,746	16	2		1		1		2	2
Canton, Ohio	59,139	8	2				9		1	
Charleston, S. C	60,427	29	1				1			4
Covington, Ky	56,520	12	4				3		2	2
Duluth, Minn	91,913		1		2					
El Paso, Tex	51,936	35		1	2		1			4
Erie, Pa	73,708		4		1		5		8	23
Evansville, Ind	72,125	18	12		1		2		1	3
Fort Worth, Tex	99,528	19	4		1					2
Harrisburg, Pa	70,754	20	6	1	3		1		5	1
Hoboken, N. J	76,104	15	3				2		2	
Johnstown, Pa	66,585	22	2		1		1			
Lancaster, Pa	50,269								1	
Lawrence, Mass	98,197	19	3				1		5	5
Little Rock, Ark	55,158	23	1		3		1		1	
Malden, Mass	50,067	12	2		8		2		2	1
Manchester, N. H	76,959	14	1	1	1		1		1	1
Mobile, Ala	56,536	20	1				2			2
New Britain, Conn	52,203	2	1				1			
Norfolk, Va	88,076	6			2		3			3
Oklahoma, Okla	88,158	22	2	1	8		2			2
Passaic, N. J	69,010	18	2				1			
Pawtucket, R. I	58,156	17	5				2			
Portland, Me	63,614	20	1		5		1			
Rockford, Ill	53,761	10	1				3			
Sacramento, Cal	64,896	23	1				1		1	2
Saginaw, Mich	54,815	5	3				9		6	
San Diego, Cal	51,115	24	1				2		1	5
Schenectady, N. Y	95,265	15	5		7		3		3	
Somerville, Mass	85,460	20	16	1	2				4	1
South Bend, Ind	67,030	12	4	1			8			1
Springfield, Ill	59,468	17	3		7		1			1
Springfield, Ohio	50,804	16	2				2	1	4	3
Troy, N. Y	77,738		2		13		4		4	6
Wilkes-Barre, Pa	75,218	15	5	1	1		2		3	1
Wilmington, Del	93,161	27		1			5			
York, Pa	50,543		2				2		2	

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Con.

City Reports for Week Ended Dec. 16, 1916—Continued.

City.	Population as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 25,000 to 50,000 inhabitants:										
Alameda, Cal.	27,031	6	1		1		3			
Austin, Tex.	34,016	18	3				1			4
Brookline, Mass.	31,934	7	2						1	1
Butler, Pa.	26,587	6	4				2			1
Butte, Mont.	42,918	29	4		1		1		4	1
Chelsea, Mass.	[1] 32,452	12	2		1				3	
Cumberland, Md.	25,564	4	2						4	
Danville, Ill.	31,554	12							4	2
Davenport, Iowa.	47,127						1			
Dubuque, Iowa.	39,650				3				1	1
East Orange, N. J.	41,155	7	2							
Elgin, Ill.	27,844	3			23		1			
Everett, Mass.	38,307		4				7		3	1
Everett, Wash.	33,767	12			13					
Fitchburg, Mass.	41,144	11	3		3				4	1
Galveston, Tex.	41,076	19	1							1
Haverhill, Mass.	47,774						2			1
Jackson, Mich.	34,730	17			1		2			1
Kalamazoo, Mich.	47,364	16					8			1
Kenosha, Wis.	30,319	5	2	1			2		1	
La Crosse, Wis.	31,522	8	1				1		2	
Lexington, Ky.	39,703	20	2		1		4			4
Lincoln, Nebr.	46,028	17	2				1			
Long Beach, Cal.	26,012	9					1			
Lorain, Ohio.	35,662		2							
Lynchburg, Va.	32,385	4			23				1	2
Madison, Wis.	30,084		1				7			1
Medford, Mass.	25,737	8			15		2		1	
Montclair, N. J.	25,550	4	1				1			
Nashua, N. H.	27,114	3	2							
New Castle, Pa.	40,351								1	
Newport, Ky.	31,722	7							1	1
Newport, R. I.	29,631	6	4							
Newton, Mass.	43,085	11					5			
Niagara Falls, N. Y.	36,240	15	9		5		1		1	1
Norristown, Pa.	30,833	7	4	1			1			
Odgen, Utah.	30,466	12	2		83	1	8			
Orange, N. J.	32,524	21			1		3		2	1
Pasadena, Cal.	43,859	12					1		2	2
Perth Amboy, N. J.	39,725		1		1		1		2	
Pittsfield, Mass.	37,580	12	2				1		4	1
Portsmouth, Va.	38,610	10	2		1		3			
Quincy, Ill.	36,764	15								2
Quincy, Mass.	37,251	12								
Racine, Wis.	45,507	11					1			
Steubenville, Ohio.	26,631	11	2				1			
Stockton, Cal.	34,508	13	3		48				2	1
Superior, Wis.	45,285	10	3		1		1			1
Taunton, Mass.	35,957	13					6		2	2
Topeka, Kans.	47,914				21					1
Watertown, N. Y.	29,384	13	1		1					
West Hoboken, N. J.	41,893	5					1		1	1
Wheeling, W. Va.	43,097		2		1		1			2
Williamsport, Pa.	33,495		5				1			
Wilmington, N. C.	28,264	12			3					1
Zanesville, Ohio.	30,406	6					3			2
From 10,000 to 25,000 inhabitants:										
Ann Arbor, Mich.	14,979	9	1				1		2	1
Braddock, Pa.	21,310	5					1		1	
Cairo, Ill.	15,593	11								1
Clinton, Mass.	[1] 13,075	2							1	
Concord, N. H.	22,480	8	4							2
Galesburg, Ill.	23,923	7	1							
Kearny, N. J.	22,753	8								
Kokomo, Ind.	20,312	5	4		39		1		1	1
Long Branch, N. J.	15,057	1			1		2			
Marinette, Wis.	[1] 14,610	2			2					
Morristown, N. J.	13,158	4	3		1		2		2	
Nanticoke, Pa.	22,441	3	2				2			
Newburyport, Mass.	15,195	3					1		1	

[1] Population April 15, 1910; no estimate made.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Con.

City Reports for Week Ended Dec. 16, 1916—Continued.

City.	Population as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 10,000 to 25,000 inhabitants—Continued.										
New London, Conn	20,771	9	1				1			
North Adams, Mass	[1] 22,019	3							1	1
Northampton, Mass	19,846	9			1	1	1		1	
Plainfield, N. J	23,280	5					1		1	
Portsmouth, N. H	11,602				45					
Rutland, Vt	14,624	2			19		1			
Sandusky, Ohio	20,160				19					
Saratoga Springs, N. Y	12,842	7					5			1
Steelton, Pa	15,337	6			1				1	
Wilkinsburg, Pa	22,361	5	1				2		1	
Woburn, Mass	15,862	5								

[1] Population Apr. 15, 1910; no estimate made